

Table 4G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dane Cty	7,731	27.4	21.5	35.0	0.3	6.9	8.9	0.0
Mil. Cty	39,352	11.5	47.1	32.7	0.2	4.4	3.9	0.0
Racine	5,447	27.2	24.8	39.2	0.1	0.5	8.3	0.0
Rest of WI	80,199	64.3	3.3	19.4	2.5	4.8	5.7	0.0
Wisconsin	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Dane Cty	7,731	35.4	19.6	45.0
Mil. Cty	39,352	32.8	20.7	46.5
Racine	5,447	36.4	19.8	43.8
Rest of WI	80,199	33.9	20.4	45.7
Wisconsin	132,729	33.8	20.4	45.8
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Page: 3
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	1,775	8.2 (2)	8.6 (4)	7,586	5.3 (1)	2.4 (1)	12.8 (3)	3,447	15.1 (1)	13.4 (2)		5,582	10.5 (3)
Mil. Cty	8,888	10.4 (4)	5.4 (1)	38,650	5.5 (2)	3.2 (3)	12.7 (1)	18,043	16.5 (3)	13.8 (3)		28,878	15.5 (4)
Racine	1,274	8.2 (2)	5.9 (2)	5,326	5.7 (4)	3.3 (4)	12.7 (1)	2,380	16.0 (2)	12.7 (1)		4,002	9.6 (2)
Rest of WI	18,155	7.7 (1)	7.6 (3)	78,606	5.5 (2)	3.1 (2)	13.2 (4)	36,105	16.9 (4)	14.3 (4)		58,159	7.3 (1)
Wisconsin	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1		96,621	10.0
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7		5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7G
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 4
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household
Metro Area	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)	
Dane Cty	1,776	80.4 (1)	813 39.5 (1)	1,112 20.0 (1)	713 19.2 (2)	813 9.3 (2)	3,712 83.5 (3)	7,678 4.3 (1)	
Mil. Cty	8,918	62.8 (4)	3,968 22.2 (3)	6,104 10.4 (4)	2,758 12.3 (3)	3,959 5.3 (4)	19,466 79.5 (4)	39,215 8.5 (3)	
Racine	1,275	63.7 (3)	558 21.1 (4)	683 12.0 (3)	388 10.3 (4)	555 6.1 (3)	2,570 87.4 (1)	5,420 9.6 (4)	
Rest of WI	18,191	70.5 (2)	8,376 27.4 (2)	11,677 12.7 (2)	6,587 23.1 (1)	8,354 10.6 (1)	38,663 84.5 (2)	79,783 6.2 (2)	
Wisconsin	30,160	68.5	13,715 26.4	19,576 12.4	10,446 19.5	13,681 8.8	64,411 83.0	132,096 6.9	
Nation (Prior Year)	1,769,160	61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Page: 5
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)	
Dane Cty	5,492	7.3 (1)	8.6 (4)	22,352	4.9 (1)	2.5 (1)	12.8 (1)	9,906	14.6 (1)	12.3 (1)	16,302	11.0 (3)	
Mil. Cty	28,076	10.2 (4)	5.8 (1)	115,601	5.8 (4)	3.6 (4)	13.2 (3)	52,488	16.7 (3)	14.2 (4)	84,790	17.0 (4)	
Racine	4,103	9.6 (3)	6.2 (2)	16,160	5.5 (2)	3.1 (2)	13.3 (4)	7,042	15.7 (2)	12.9 (2)	12,005	10.4 (2)	
Rest of WI	56,335	7.7 (2)	8.2 (3)	236,213	5.5 (2)	3.2 (3)	13.1 (2)	106,694	16.7 (3)	13.8 (3)	172,975	7.6 (1)	
Wisconsin	94,006	8.5	7.4	390,326	5.6	3.2	13.1	176,130	16.6	13.8	286,072	10.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7G
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Metro Area	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	%	Number	% (Rank)
Dane Cty	6,035	79.4 (1)	4,142 38.0 (1)	4,120 22.8 (1)	3,997 17.1 (1)	3,971 9.8 (1)	10,660	83.9 (3)	12,659	5.1 (1)
Mil. Cty	29,703	63.1 (3)	20,507 19.9 (3)	21,517 11.1 (4)	19,011 7.9 (4)	19,854 3.9 (4)	56,792	78.6 (4)	62,532	10.1 (3)
Racine	4,309	60.8 (4)	2,849 19.9 (3)	2,761 11.5 (3)	2,708 9.0 (3)	2,791 5.0 (3)	7,685	84.0 (1)	9,067	10.3 (4)
Rest of WI	61,206	68.6 (2)	41,970 23.2 (2)	41,791 11.8 (2)	39,885 16.3 (2)	40,308 8.1 (2)	114,747	84.0 (1)	132,376	7.3 (2)
Wisconsin	101,253	67.3	69,468 23.0	70,189 12.2	65,601 13.6	66,924 6.8	189,884	82.4	216,634	8.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

